

INDEX TO VOLUME 55

Classified entries: major subjects, key words, and results; botanical names (new names are in **boldface**); geographical areas; reviews, commentaries. Incidental references to taxa (including most lists and tables) are not indexed separately. Species appearing in Noteworthy Collections are indexed under name, family, and state or country. Authors and titles are listed alphabetically by author in the Table of Contents to the volume.

- Abies concolor* (see Conifer seedling survival)
Agavaceae (see *Yucca*)
Alpine flora of White Mts, CA, 202.
Apocynaceae (see *Asclepias*)
Arceuthobium distribution in Durango, Mexico, 161.
Arctostaphylos: *A. patula* (see Conifer seedling survival)
 New taxon: ***A. ohloneana***, 238.
Arctotis, notes on two southern African spp. growing in CA, 244.
ARGENTINA (see *Muhlenbergia*)
Arizona: *Lilaeopsis schaffneriana* var. *recurva*, livestock trampling effects on, 81; vascular flora of lower San Francisco volcanic field, Coconino Co., 1.
 Noteworthy collection: *Dactyloctenium radulans*, 88.
Arundo donax, role of floods and bulldozers in break-up and dispersal, 216.
Asclepiadaceae (see *Apocynaceae*)
Asclepias schaffneri, resurrection of, 69.
Asteraceae: *Arctotis*, notes on two southern African spp. growing in CA, 244; *Eriophyllum lanatum*, hybrid zone in OR, 269.
 Noteworthy collection: *Senecio linearifolius* var. *linearifolius*, from CA, 312.
Atriplex annicola, *A. glauca*, *A. muelleri*, *A. stipitata*, *A. undulata*, noteworthy collections from CA, 306.
Bestia longipes, identification, distribution and family placement, 291.
Boraginaceae (see *Cryptantha*)
Brassicaceae (see *Lilaeopsis*)
C₄ photosynthesis without Krantz anatomy, 143.
California: Alpine flora of White Mts, CA, 202; *Arctotis*, notes on two southern African spp. growing in CA, 244; *Arundo donax*, role of floods and bulldozers in break-up and dispersal, 216; *Bestia longipes*, identification, distribution and family placement, 291; conifer seedling survival under closed-canopy and manzanita patches in the Sierra Nevada, CA, 191; *Clarkia californica* and *C. tembloriensis*, taxonomic reassessment, 297; *Cryptantha crinita*, habitat and distribution, 76; *Cumathamnion sympodophyllum*, notes on early collections and distribution, 248; *Dissanthelium californicum*, rediscovery and status on Santa Catalina Id., CA, 60; *Eleocharis macrostachya* and *Orcuttia tenuis*, spatial and temporal investigation, 257; *Euphorbia terracina* morphological traits and invasive potential in coastal southern CA, 52; invasive plants not in Jepson, 93; late Holocene wetland vegetation and climate, Shasta Co., 15; *Oenothera wolfii* and *O. glazioviana* hybridization, 132; *Salsola tragus* complex, 113; subalpine fens community ecology and eco-physiology, Mt. Pinos, CA, 41; vegetation change in central Sierra Nevada, CA, 223; vegetation mapping and ecotope analysis, southern Coast Range, 26; *Yucca brevifolia*, glucose-6-phosphate isomerase variation and genetic structure, 285.
 New taxa: ***Arctostaphylos ohloneana***, 238; *Clarkia tembloriensis* subsp. *longistyla*, *C. tembloriensis* subsp. *tembloriensis*, 301; *Eriastrum harwoodii* and ***E. signatum***, 82; *Rosa gymnocarpa* var. *serpentine* and *R. pisocarpa* subsp. *ahartii*, new taxa from CA & OR, 170; *Salsola ryanii*, 126.
 Noteworthy collections: *Atriplex annicola*, *A. glauca*, *A. muelleri*, *A. stipitata*, *A. undulata*, 306; *Calocedrus decurrens*, *Carex longii*, 89; *Eleusine coracana* subsp. *africana*, 310; *Rytidosperma caespitosum*, 90; *Senecio linearifolius* var. *linearifolius*, 312; *Viburnum edule*, 306.
Calocedrus decurrens, noteworthy collection from CA, 89.
Campanulaceae (see *Jasione*)
Caprifoliaceae (see *Viburnum*)
Carex lenticularis var. *dolia*, noteworthy collection from WY, 179; *C. longii*, noteworthy collection from CA, 89.
Castanopsis (see *Notholithocarpus*)
Castilleja levisecta, effects of host plants and implications for reintroduction, 151.
Chenopodiaceae: *Salsola tragus* complex in CA, 113.
 New taxa: ***Neokochia***, new genus from North America, 251; ***N. americana*** and ***N. californica***, new combs., 255; *Salsola ryanii*, new sp. from CA, 126.
 Noteworthy collections: *Atriplex annicola*, *A. glauca*, *A. muelleri*, *A. stipitata*, *A. undulata* from CA, 306.
Chromosome counts: *Eriophyllum lanatum* and hybrids, 278.
Chrysolepis (see *Notholithocarpus*)
Clarkia californica and *C. tembloriensis*, taxonomic reassessment, 297.
Colorado (see Subalpine forest)
Compositae (see Asteraceae)
Conifer seedling survival under closed-canopy and manzanita patches in the Sierra Nevada, CA, 191.
Cruciferae (see Brassicaceae)
Cryptantha crinita, habitat and distribution, 76.
Cumathamnion sympodophyllum, notes on early collections and distribution, 248.
Cupressaceae (see *Calocedrus*)
Cyperaceae (see *Carex* and *Eleocharis*)
Dactyloctenium radulans, noteworthy collection from AZ, 88.
 Dedication of Vol. 55 to John O. Sawyer, Jr., 320.
Delesseriaceae (see *Cumathamnion*)
Dissanthelium californicum, rediscovery and status on Santa Catalina Id., CA, 60.
Drought reconstruction (see Paleoecology)
Ecotope (see Vegetation mapping)
Editor's report, 315.
Eleocharis macrostachya, spatial and temporal investigation, 257.
Eleusine coracana subsp. *africana*, noteworthy collection from CA, 310.
Eriastrum: *E. sparsiflorum* reassessment, 82.
 New taxa: ***E. harwoodii*** and ***E. signatum***, 82.

- Ericaceae (see *Arctostaphylos*)
Eriophyllum lanatum, hybrid zone in OR, 269.
Euphorbia terracina morphological traits and invasive potential in coastal southern CA, 52.
Euphorbiaceae (see *Euphorbia*)
- Fagaceae (see *Notholithocarpus*)
Festuca viviparoidea ssp. *krajinae*, noteworthy collection from WY, 179.
- Fire history (see Paleoecology)
Floras: Alpine flora of White Mts., CA, 202; vascular flora of lower San Francisco volcanic field, Coconino Co., AZ, 1.
- Genetic structure (see *Yucca*)
Genetic swamping (see *Oenothera*)
Gentianaceae (see *Gentianella*)
Gentianella calanchooides, *G. ericotrichia*, *G. giliooides*, *G. herreriae*, *G. polyantha*, noteworthy collections from Peru, 91.
- Geraniaceae (see *Geranium*)
Geranium lucidum, noteworthy collection from WA, 178.
- Glucose-6-phosphate isomerase (see *Yucca*)
Gramineae (see Poaceae)
- Hemiparasitic plants (see *Castilleja*)
Hybridization: *Eriophyllum lanatum*, hybrid zone in OR, 269; *Iochroma*, homoploid hybridization, 280; *Oenothera wolfii* and *O. glazioviana* hybridization, 132.
- Invasive plants: *Arctotis*, notes on two southern African spp. growing in CA, 244; *Arundo donax*, role of floods and bulldozers in break-up and dispersal, 216; CA catalog of nonnative plants not in Jepson Manual, 93; *Euphorbia terracina* in coastal southern CA, 52.
Iochroma, homoploid hybridization, 280.
- Jasione montana*, noteworthy collection from WA, 178.
- Juncaceae (see *Luzula*)
- Keys: Annual *Eriastrum* with stamens exerted less than 1/2 corolla lobe length, 87; *Arctostaphylos* in the central and southern Santa Cruz Mts., 242; *Rosa pisocarpa* subsp., 174; *R. gymnocarpa* vars., 176; separation of *Beslia* from *Isothecium*, 292.
- Kochia* (see *Neokochia*)
Krantz anatomy (see Orcuttieae)
- Lembophyllaceae (see *Beslia*)
Lilaeopsis schaffneriana var. *recurva*, livestock trampling effects on, 81.
- Lithocarpus (see *Notholithocarpus*)
Luzula campestris, noteworthy collection from WA, 178.
Lycurus (see *Muhlenbergia*)
- Marine algae (see *Cumathamnion*)
Massenerhebung or mass-elevation effect (see Subalpine fellfield)
MEXICO (see *Arceuthobium* and *Asclepias*)
Modoc Plateau, CA (see Paleoecology)
Mojave Desert (see *Yucca*)
Montana (see *Ranunculus*)
Moss (see *Beslia*)
Mt. Pinos, CA (see Subalpine fellfield)
Muhlenbergia alopecuroides, new comb. from Argentina, 159.
- Neokochia**, new genus from North America, 251; *N. Americana* and *N. californica*, new comb., 255.
- Notholithocarpus**, new genus from western North America, 181.
New taxa: *N. densiflorus* var. *densiflorus*, *N. densiflorus* var. *echinoides*, 188.
- Oenothera wolfii* and *O. glazioviana* hybridization, 132.
Onagraceae (see *Clarkia* and *Oenothera*)
Orcuttia *tenuis*, spatial and temporal investigation, 257.
Orcuttieae (Poaceae), C₄ photosynthesis without Krantz anatomy, 143.
- Oregon: *Eriophyllum lanatum*, hybrid zone, 269; *Oenothera wolfii* and *O. glazioviana* hybridization, 132; *Rosa gymnocarpa* var. *serpentine* and *R. pisocarpa* subsp. *ahartii*, new taxa from CA & OR, 170.
- Paleoecology: Late Holocene wetland vegetation and climate, Shasta Co., CA, 15.
- Parasitic plants (see *Arceuthobium*)
Pasania (see *Notholithocarpus*)
Paulownia tomentosa, noteworthy collection from WA, 178.
- PERU (see *Gentianella*)
Picea engelmannii (see Subalpine forest)
- Pinaceae: Conifer seedling survival under closed-canopy and manzanita patches in the Sierra Nevada, CA, 191; subalpine forest, origina of differences at a CO location, 303.
- Pinyon-juniper woodland (see Floras)
Pinus aristata (see Subalpine forest)
Pinus lambertiana (see Conifer seedling survival)
- Poaceae: *Arundo donax*, role of floods and bulldozers in break-up and dispersal, 216; *Dissanthelium californicum*, rediscovery and status on Santa Catalina Id., CA, 60; *Orcuttia tenuis*, spatial and temporal investigation, 257; Orcuttieae, C₄ photosynthesis without Krantz anatomy, 143.
- New taxon: **Muhlenbergia alopecuroides**, new comb. from Argentina, 159.
- Noteworthy collections: *Dactyloctenium radulans* from AZ, 88; *Eleusine coracana* subsp. *africana*, collection from CA, 310; *Festuca viviparoidea* ssp. *krajinae*, from WY, 179; *Rytidosperma caespitosum* from CA, 90.
- Polemoniaceae (see *Eriastrum*)
President's report, 314.
Prunus padus, noteworthy collection from WA, 178.
- Ranunculaceae (see *Ranunculus*)
Ranunculus jovis, noteworthy collection from MT, 91.
- Reviews: *California Native Plants for the Garden* by Carol Bornstein, David Fross and Bart O'Brien, 169; *Native Treasures: Gardening with the Plants of California* by Michael Nevin Smith, 180.
- Rhodophyta (see *Cumathamnion*)
Rocky Mts. (see Subalpine forest)
Rosa gymnocarpa var. *serpentine* and *R. pisocarpa* subsp. *ahartii*, new taxa from CA & OR, 170.
- Rosaceae: New taxa: *Rosa gymnocarpa* var. *serpentine* and *R. pisocarpa* subsp. *ahartii* from CA & OR, 170.
Noteworthy collections: *Prunus padus*, *Sorbus hybrida*, from WA, 178.
Rytidosperma caespitosum, noteworthy collection from CA, 90.
- Salsola*: *S. tragus* complex in CA, 113; *S. ryanii*, new sp. from CA, 126.

- San Francisco volcanic field, AZ, vacular flora of, 1.
- Sawyer, John O., Jr., Dedication of Vol. 55 to, 320
- Scrophulariaceae (see *Castilleja* and *Paulownia*)
- Senecio linearifolius* var. *linearifolius*, noteworthy collection from CA, 312.
- Sierra Nevada, CA: Conifer seedling survival under closed-canopy and manzanita patches in the Sierra Nevada, CA, 191; vegetation change, 223.
- Solanaceae (see *Iochroma*)
- Sorbus hybrida*, noteworthy collection from WA, 179.
- Subalpine fellfield community ecology and ecophysiology, Mt. Pinos, CA, 41.
- Subalpine forest, origin of differences at a CO location, 303.
- Vegetation change in central Sierra Nevada, CA, 223.
- Vegetation mapping and ecotone analysis, southern Coast Range, CA, 26.
- Vegetation Type Mapping (VTM) project, 223.
- Venidium* (see *Arctotis*)
- Vernal pool plants: *Eleocharis macrostachya* and *Orcuttia tenuis*, spatial and temporal investigation, 257; Orcuttiae (Poaceae), C₄ photosynthesis without Krantz anatomy, 143.
- Viburnum edule*, noteworthy collection from CA, 306.
- Viscaceae (see *Arceuthobium*)
- Washington:
- Noteworthy collections: *Geranium lucidum*, *Jasione montana*, *Luzula campestris*, *Paulownia tomentosa*, *Prunus padus*, *Sorbus hybrida*, 178.
- White Mts, CA, alpine flora, 202.
- Wyoming:
- Noteworthy collections: *Carex lenticularis* var. *dolia*, *Festuca viviparoidea* ssp. *krajinae*, 179.
- Yucca brevifolia*, glucose-6-phosphate isomerase variation and genetic structure, 285.